

International Journal of
ELECTRONICS

Theoretical and Experimental

Editor: P. A. LINDSAY, D.Sc.(Eng.), Ph.D., D.I.C., C.Eng., F.I.E.E., F.Inst.P.

Associate Editors: Dr. V. L. GRANATSTEIN, B. S., M.S., Ph.D. (U.S.A.)
Professor SHOICHI ONO, B.E., M.S., D.Eng. (Japan)

Consultant Editor: PROFESSOR SIR NEVILL MOTT, M.A., D.Sc., F.Inst.P., F.R.S.

Editorial Board

| | |
|-------------------|--------------------------------|
| France - - - - | Professor P. AIGRAIN |
| U.K. - - - - | Dr. J. E. ALLEN |
| U.K. - - - - | Professor A. H. W. BECK |
| U.S.A. - - - - | Professor M. CHODOROW |
| U.K. - - - - | Professor K. G. EMELEUS |
| Switzerland - - - | Professor G. EPPRECHT |
| France - - - - | Dr. M. GOLDMAN |
| The Netherlands - | Professor Dr. H. GROENDIJK |
| West Germany - | Professor Dr.rer.nat. W. HARTH |
| West Germany - | Professor Dr. H. L. HARTNAGEL |
| U.K. - - - - | Professor C. A. HOGARTH |
| U.S.A. - - - - | Dr. H. KOGELNIK |
| U.S.A. - - - - | Dr. J. M. LAFFERTY |
| U.K. - - - - | T. P. McLEAN |
| U.K. - - - - | C. A. MAY |
| U.S.A. - - - - | Professor R. D. MIDDLEBROOK |
| U.S.A. - - - - | Professor J. R. PIERCE |
| U.K. - - - - | D. H. ROBERTS |
| U.S.A. - - - - | Professor L. D. SMULLIN |
| U.K. - - - - | Dr. D. T. SWIFT-HOOK |
| U.K. - - - - | P. E. TRIER |
| Japan - - - - | Dr. M. UENOHARA |
| Sweden - - - - | Professor P. WEISSGLAS |
| U.S.A. - - - - | Professor J. R. WHINNERY |

Volume LIII

July 1982 to December 1982



Published by

TAYLOR & FRANCIS LTD, 4 John Street, London WC1N 2ET

Subscription Information

USA, Canada and Mexico (air freight): annual subscription (payable in advance), \$370.00; per part \$34.00 (surface post paid). Air freight and mailing in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, New York 11003. Second class postage paid at Jamaica, New York 11431. USA Postmaster: Send address changes to *International Journal of Electronics*, Publications Expediting Inc., 200 Meacham Avenue, Elmont, New York 11003. US subscribers should send order and cheque (in favour of Taylor & Francis Ltd) to Account 04 810 879, Bankers Trust Company, P.O. Box 9137, Church Street Station, New York, N.Y. 10049.

Japan (accelerated surface post): apply to exclusive agents, Kinokuniya Company Ltd, Odakyu West-Shinjuku Building, 47-1 Hatsudai 1-chome, Shibuya-ku, Tokyo 151. Telex 2322535.

FR Germany (surface post): annual subscription (payable in advance), DM 619.00; per part DM 57.00. Subscribers in FR Germany should send order and cheque (in favour of Taylor & Francis Ltd) to Account No. 073/6686, Deutsche Bank AG, BLZ 500 700 10, Postfach 2623, Rossmarkt 18, 6000 Frankfurt/Main 1.

UK and the rest of the world (surface post; accelerated surface post to Australasia; air freight to India): annual subscription (payable in advance), £129.00; per part, £12.00 (surface post paid).

Published monthly by Taylor & Francis Ltd, 4 John Street, London WC1N 2ET, UK. Telex 858549.

Printed by Taylor & Francis (Printers) Ltd, Rankine Road, Basingstoke, Hampshire RG24 0PR, UK

© 1982 Taylor & Francis Ltd. ISSN 0030-7217

CONTENTS OF VOL. LIII (Nos. 1-6)

NUMBER 1—JULY

| | |
|---|----|
| A bipolar phase-locked loop system with programmable speed power characteristic. H. JAMAL and F. E. HOLMES | 1 |
| Data path optimization in modern computers. D. GROVER, H. SINGH and N. K. NANDA | 17 |
| Filter for AC/DC pulse-width modulated converters. K. A. KRISHNAMURTHY, G. K. DUBEY and G. N. REVANKAR | 25 |
| A new LC commutation circuit for forced-commutated two-pulse bridge converters. G. N. REVANKAR and M. V. CHOUDHARY | 31 |
| A comparative study of some chopper commutation circuits. H. SATPATI, G. K. DUBEY and L. P. SINGH | 47 |
| Resistance difference technique for contact state identification. G. D. BERGMAN | 57 |
| Bit steering of polyphase micro-commands. A. MATHIALAGAN and N. N. BISWAS | 63 |
| Inverse gain for a weak sinusoid in memoryless non-linear bandpass amplifiers. M. T. ABUELMA'ATHI | 67 |
| A thyristor chopper with minimum limits on voltage control of DC drives. M. H. RASHID | 71 |
| A simple three-phase variable-frequency oscillator. A. RAHMAN and S. E. HAQUE | 83 |
| Current ratio log amplifier using light emitting diodes. R. N. MISRA and Y. B. ACHARYA | 91 |
| Research note: | |
| Experimental performance data for slowed-down adaptive algorithms. M. A. SODERSTRAND, M. C. VIGIL, J. J. BUETAU and J. K. KELLEY .. | 95 |

NUMBER 2—AUGUST

| | |
|---|-----|
| Circularly polarized elliptical beamshape horn antennas. R. J. DEWEY | 101 |
| Evaporated polypropylene as a practical dielectric material. C. A. HOGARTH and T. IQBAL | 129 |

| | |
|--|-----|
| A real-time correlation system for ultrasonic non-destructive testing. F. K. LAM and M. S. HUI | 133 |
| Circuits for quaternary-to-analogue conversion. K. W. CURRENT | 149 |
| Analogue signal generation using least-squares approximation. S. D. MAROUGI..... | 157 |
| The influence of space-charge on the shot noise in temperature-limited planar diodes. A. H. BECK and D.-A. WANG | 163 |
| Linear phase waveguide filters. M. E. MOKARI-BOLHASSAN | 171 |
| A unique 'decoded method' for minimization of logic circuits. A. M. AHMED and Y. K. ABBAS..... | 191 |

NUMBER 3—SEPTEMBER

| | |
|---|-----|
| Realization of first-order difference equation without operational amplifiers and its application to a filter. S. YONEDA, K. HATANAKA and T. KSAI | 201 |
| The I-V characteristics of a thermionic diode with patchy cathode. II. Cylindrical and rectangular cathodes. A. H. BECK and B. N. JHA | 215 |
| Pulse generation employing saturation-controlled transistor inverters. A. S. CHAUHAN and L. K. MAHESHWARI..... | 223 |
| The minimization of logic functions utilizing two-dimensional representations of hypercubes. S. V. KARTALOPOULOS..... | 233 |
| General analysis for the gain margin of multipole systems. M. T. ABUELMA'ATTI..... | 247 |
| A six trit successive approximation analogue-to-ternary converter design. F. J. HASSAN and M. A. H. ABDUL-KARIM | 253 |
| A basic model of a transistor oscillator. K. KLATT..... | 261 |
| Chemical-bond model for gold surface states in gold-doped silicon/silicon dioxide structures. G. R. MOGHAL | 271 |
| The modelling of a thyristor for on-and-off conditions. G. SARKAR and A. K. MUKHOPADHYAY | 281 |
| Realization of Norton amplifier n th-order switched-capacitor networks. F. ANDAY | 289 |
| Research notes | |
| A voltage divider circuit with digital output. T. S. RATHORE | 293 |
| Graphical method for calculation of equivalent circuit elements for TEM transmission lines. J. MAJER | 297 |

NUMBER 4—OCTOBER

| | |
|--|-----|
| A study of thermal-voltage memory effects in M—I—M structures with co-evaporated $\text{SiO}/\text{B}_2\text{O}_3$ as the insulator material. C. A. HOGARTH and A. KOMPANY | 301 |
| Electrical conduction in $\text{CdO}-\text{ZnO}-\text{P}_2\text{O}_5$ glasses. M. A. GHOURI, A. R. MIR, C. A. HOGARTH and M. M. AHMED | 311 |
| Realization of all-pass filter sections using current-differencing amplifiers. J. H. BRODIE | 319 |
| On the sensitivity study of low-pass wave digital filters. E. C. TAN and C. J. PRICE | 331 |
| Zero pole sensitivity active filters. P. S. R. DINIZ and L. P. CALOBA ... | 341 |
| A new high performance voltage controlled voltage source. P. S. R. DINIZ | 349 |
| Saturation-controlled monostable circuit. A. S. CHAUHAN and L. K. MAHESHWARI | 353 |
| Pipeline analogue to ternary converter. H. N. SHIVASHANKAR and A. P. SHIVAPRASAD | 357 |
| Ternary multiplexer. H. N. SHIVASHANKAR and A. P. SHIVAPRASAD | 363 |
| Least-square low-pass filters using Chebyshev polynomials. V. D. PAVLOVIĆ | 371 |
| A logarithmic converter. C. VELAYUDHAN and V. K. GOVINDAN | 381 |
| Research notes | |
| On the design and performance of a shielded microstrip two-line coupler. S. S. BEDAIR and M. I. SOBHY | 387 |
| Negabinary sign detector. A. MATHIALAGAN and B. CHANDRAMOULI | 393 |
| An improved inverting/non-inverting voltage amplifier. T. S. RATHORE | 397 |

NUMBER 5—NOVEMBER

| | |
|--|-----|
| Design of computing circuits for pulse frequency coded signals. E. MARTINEZ and J. M. TARELA | 401 |
| A new concept in frequency changing for induction heating. V. S. GHARPURE and G. N. REVANKAR | 419 |
| Starting process in an induction heating system with a naturally commutated cycloconverter link circuit. V. S. GHARPURE and G. N. REVANKAR | 433 |

| | |
|--|-----|
| A cycloconverter frequency changer for induction heating. V. S. GHARPURE and G. N. REVANKAR | 445 |
| Analysis of a pulse position modulation inverter drive. V. PETRIDIS and J. THEOCHARIS | 457 |
| A modulo-four multiplier circuit for use in residue number system non-recursive digital filters. L. B. WHEATON and K. W. CURRENT | 473 |
| Noise properties of balanced amplifiers. G. V. PETROV | 485 |
| Theoretical performance of an anti-reflection coating for a diode laser amplifier. R. H. CLARKE | 495 |

NUMBER 6—DECEMBER

| | |
|--|-----|
| Editorial | 501 |
| A self-consistent field theory for gyrotron oscillators: application to a low Q gyromonotron. A. W. FLIFLET, M. E. READ, K. R. CHU and R. SEELEY | 505 |
| Development of gyrotrons at Thomson-CSF. P. BOULANGER, P. CHARBIT, G. FAILLON, E. KAMMERER and G. MOURIER | 523 |
| 22–70 GHz gyrotron development. K. SUGIMORI, K. FUJITA, Y. TERUMICHI, S. TANAKA and T. IDEHARA | 533 |
| Near millimeter wave radiation from a gyromonotron. J. D. SILVERSTEIN, R. M. CURNUTT and M. E. READ | 539 |
| Multimode theory and simulation of quasi-optical gyrotrons and gyrokylystrons. A. BONDESON, B. LEVUSH, W. M. MANHEIMER and E. OTT | 547 |
| An efficient Doppler-shifted electron-cyclotron maser oscillator. J. L. VOMVORIDIS | 555 |
| Mode converters for generating the HE 11 (gaussian-like) mode from TE 01 in a circular waveguide. J. L. DOANE | 573 |
| Mode converters used in the Doublet III ECH microwave system. C. MOELLER | 587 |
| Impact of gyrotron characteristics on a mirror reactor. S. A. FREIJE, K. W. ARNOLD and R. H. WHITLEY | 595 |
| Design of a high power CW free electron maser. D. ARNUSH, H. BOEHMER, M. ZALES CAPONI and C. C. SHIH | 605 |
| A dispersion equation for gyrotron TWTs. P. A. LINDSAY, R. J. LUMSDEN and R. M. JONES | 619 |

| | |
|---|-----|
| Self-consistent large signal theory of the gyrotron travelling wave amplifier. A. K. GANGULY, and S. AHN | 641 |
| A study of the saturated output of a TE_{01} gyrotron using an electromagnetic finite size particle code. M. CAPLAN, A. T. LIN and K. R. CHU ... | 659 |
| Gain and bandwidth of a gyrotron amplifier with tapered rectangular waveguide. S. AHN | 673 |
| The initial amplitudes of gyrotron waves at a conical to cylindrical junction. C. J. EDGCOMBE..... | 681 |
| A low magnetic field gyrotron—gyro-magnetron. Y. Y. LAU and L. R. BARNETT | 693 |
| Impedance calculations for travelling wave gyrotrons operating at harmonics of the cyclotron frequency in magnetron-type circuits. R. W. GROW and U. A. SHRIVASTAVA | 699 |
| A three-cavity gyrokylystron amplifier experiment. B. ARFIN and A. K. GANGULY | 709 |
| Analysis of loss to prevent oscillations in the slow wave cyclotron amplifier. E. J. ROTHWELL | 715 |
| Theory of gyrotron amplifiers in disc or helix-loaded waveguides. J. Y. CHOE and H. S. UHM | 729 |
| Use of electrode synthesis technique to design MIG-type guns for high power gyrotrons. A. W. FLIFLET, A. J. DUDAS, M. E. READ and J. M. BAIRD | 743 |
| Subject index | 755 |
| Author index..... | 757 |

